

USB Conference Phone/Microphone

omni-directional audio 3-Way conference speaker telephone



Product Description

conference microphone conference phone is a full-featured conference phone. Powered by the international advanced SonicClear IV HD-voice processing technology, automatically adapting in 48KHz full-duplex echo cancellation and different voice bandwidth audio and video conferencing systems around the world, it's contributing in conference calls that sound as natural as being there. Any time there will be no noise at both sites or multi-parties. With highly stable and reliable acoustic performance, It creates a more realistic and joyful experience in conference phone calls for users.

conference phone can make a video conferencing or net conferencing call by connecting to the hardware video conferencing terminal or computer via USB or analog audio interface. Meanwhile, it can also make a hands-free conference call with mobile phone via the line in/out interface.

It can support USB communication and Line in/out communication at the same time. With mixing audio technology, you can easily hold a 3-way conference call such as Hardware video conference+ Web conference (laptop), Hardware video conference+ Mobile telephone conference, Web conference+ Mobile telephone conference.

Conference microphone conference phone has 4 inner uni-directional microphones which can gather over 3m and inner high loudness rubidium boron rare earth speaker. This product is suitable for small and medium sized professional meeting rooms within 20 to 60 square meters.

The conference microphone conference phone can also be used for the venue broadcast with external sound system such as TV or amplifier, at this moment, It is used as a microphone with echo cancellation feature.

Main Feature:

Wide-band acoustic echo cancellation with HD-voice , dynamic noise suppression, automatic gain control, voice band equalization and intelligent microphone mixing.

Best for conference room within 20-60m and supports 15 attendees.

4 internal uni-directional microphones gather cover 3m~5m.

2 external microphones gather cover 5m (Optional).

Support USB VoIP and suitable for PC, video system, UC communication.

Offer an auxiliary audio port that allows for external devices to connect to the conference phone.

Support 3.5mm jack for Mobile phone call.

Built-in 3-way conference.

Collaboration: bridge USB VoIP call and Mobile call together very conveniently.

Speaker volume up to 90dB, 12 levels adjustable.

4 Line LCD display with ivory white backlight.

Convenient and rich function: conference, hold, mute, etc.

Technical Parameter:

Audio Technology

DSP based deep echo cancellation >-65dB.

Echo tail:500ms.

Bi-directional noise suppression >-18dB.

USB VoIP or Line in/Line out, Electrical Specifications

USB connector: Standard B type.

LINE IN/LINE OUT: connector:3.5mm jack.

Voice frequency response: 100Hz-16kHz.

Telephone, Electrical Specifications

Telephone connection: Analog PBX or standard analog PSTN line

Telephone connector: Standard RJ-11

Audio frequency band: 200Hz-3400Hz

More photos:







Cell Service Phone
C.C.
Model: 1000
Power: 1000mAh
Voltage: 3.7V
Capacity: 1000mAh

BT

BT

USB

MAX

